Cramer Lab Chairs Price List


Effective October 1, 2024



GSA pricing available upon request. Please call **1.800.366.6700** Contract # GS-27F-012GA



TABLE OF CONTENTS



FUSION



ESD Fusion and ESD Fusion R+ – p.10 Our leading ESD seating option



Fusion Fit and Fusion Fit R+ – p.12 Smaller Footprint, Same Performance



Fusion Round Stool and Fusion Round Stool R+ – p.14 Fusion Build, with or without Back



RHINO BASIC

Rhino Basic – p.20 All Purpose, Cleanable and Durable

Rhino Basic Round Stool – p.24 Compact Durability, with or without Back

TRITON MAX



Triton Max – p.18 The Triton, 500lb Weight Capacity







Rhino Basic Sit / Stand – p.24 Ergonomic Support in Active Environments

Cramer Standard Terms & Conditions

Med-Tech environments - laboratories, medical offices, hospitals and research facilities - demand seating solutions that meet rigorous technical standards and provide all-day support and comfort. Cramer engineers the highest guality lab-grade seating to address these sensitive environments while providing performance and peace of mind.



When you choose Cramer seating, you can expect:

• BUILT-TO-ORDER

Each chair is made to order, designed to your exact specifications.

SUPERIOR WARRANTIES

We invite you to compare. We think you'll agree – our 10-year and 15-year, three-shift warranties are simply the best in the industry.

• CUSTOMER CARE

Our team is always available to offer information, assistance or advice. Call us. You'll be glad you did.

Authorized Dealers: Cramer works with authorized dealers to ensure the very best service and information. Call Cramer for an authorized dealer in your area. Possession of this price list does not constitute authority to sell products contained in this price list.

To Order: Please include the following with every order: purchase order number, quantity, model number, caster, upholstery and option code selection. To help us avoid errors, Cramer requires all purchase orders to be emailed, faxed or mailed. Your order is not considered binding until it has been accepted and acknowledged by Cramer.

Email: orders@cramerinc.com

Fax: 800.607.2821 Mail: 1523 Grand Blvd., Kansas City, MO 64108

Specials: Configurations not shown are subject to a \$50 net specials charge and may require additional time.

Additions or Changes: Orders placed for 5-day lead-times are produced immediately and no changes or cancellations can be made. On extended lead-time orders, a written request must be submitted to add, or make changes to an order. This may affect your shipping date. Charges for changes or additions may apply as follows:

20 or more working days before shipping date No Charge 15 - 19 working days before shipping date 20% of Order Value 70% of Order Value 5 - 15 working days before shipping date < 5 working days before shipping date Not Available

SHIPPING

Shipping Charges: List prices include freight to any point within the contiguous 48 states. For orders shipped to locations outside of the continental US freight is included only to the port of embarkation. Most products are shipped knocked-down. Easy assembly - no tools required. There will be a temporary freight surcharge of 4% added to all orders

Specialty Shipping: For an additional charge, you can request fully assembled product palletted or inside on-site delivery. Request a quote from: orders@cramerinc.com

Claims for Damage During Shipping: Cramer uses freight carrier approved packaging materials and carefully handles all products. When your order arrives, please examine each item and note damages or shortages on your delivery receipt. If the shipping box is damaged, note this also. If you discover damage that was concealed, you must report it to the freight carrier and Cramer within 5 business days of delivery.

Returns: All products are built to order. Products may be returned only with Cramer approval. You must put your RA (return authorization) number on the outside of any returned package. Returned goods will be subject to a restocking charge and Cramer reserves the right to deny credit for any damages.

Standard Terms of Sale: 1% 10 days or net 30 days from the date of invoice. Credit approval required. Orders may require a down payment.

PRODUCT DESIGN

Cramer reserves the right to make changes in design and construction or discontinue products without prior notice. All dimensions are to be considered approximate. Weights shown are chair alone and do not include optional accessories.

Prices are subject to change without notice.

CRAMER QUALITY ASSURANCE

The entire line of Cramer seating products meets or exceeds specifications, standards and test requirements for ANSI/BIFMA X5.1-2017. NSTA shipping requirements and California Technical Bulletins 117.

WARRANTY

This warranty applies only to products used under normal conditions by the original purchaser. Warranties do not apply to damage from neglect, abuse, normal wear and tear, or to products that have been modified by the user. Cramer supplied replacement parts must be used to retain warranty coverage.

Fabric, foam assembly and arm pads are warranted for three (3) years. The polyurethane skin and foam assembly on R+ and i+ products are warranted for five (5) years.

Labor charges for repairs performed outside of the factory, or for installation of replacement parts, are the responsibility of the purchaser.

Cramer's liability is limited to repair or replacement, at Cramer's option, and cannot exceed the original invoice price. Cramer is not liable for incidental or consequential damage arising in connection with the sale, use or serviceability of Cramer products. Repairs or replacements do not carry a warranty or extend the original warranty period.

For questions about our warranty, please call Customer Care at 1.800.366.6700 or email us at support@cramerinc.com

HELIX®



Meet Helix, the future of modern lab and caregiver seating. Its patent-pending Frameless Back[™] hugs the user, providing total support and unmatched freedom of motion. Its i+[™] Polyurethane seamless seat and back cushions are perfect for clean environments, and the organic form and optional color accents bring a modern sensibility to progressive healthcare and lab facilities. Whether you twist, relax, focus or reach - Helix is there to support you.

SPECIFICATIONS

FEATURES

- Patent-pending Frameless Back™ adapts organically to the user, providing exceptional freedom of motion and comfort
- One-touch adjustment ensures a fast, personal fit for multiple users
- Seamless i+[™] Polyurethane cushions resist contaminants and will withstand hospital cleaning agents
- Streamlined form minimizes the visual impact and doesn't interrupt sightlines
- Meets BIFMA Healthcare Furniture Cleanability Guidelines HCF 8.1-2019
- ISO-Class 4 cleanroom rated
- 300lb weight capacity
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification

CONSTRUCTION

- i+™ Polyurethane seat and back
- Advanced thermoplastic elastomer flexing upright
- Heavy-duty formed steel mechanism
- Resilient glass fiber support spring
- 25.25" durable nylon base
- Class 4 pneumatic cylinder

OPTIONS

- High-performance twist-lock flat surface steel 20" black footring. Footring is only available on high-height
- Casters: multi-surface dual wheel is standard. Non-rolling glides and breaking casters are also available
- Desk and high-height with desk to counter option
- Available in five colors: Slate (dark grey), Stone (light grey), Citrine (yellow), Aquamarine (blue), Coral
- Fixed arm option available

PRICING: HELIX

	Chair Style	Seat Material	Adjustment Mechanism	Shell Color	Model Number	
	Λ			Slate	HXDU1	
	Ð	i+™		Aquamarine	HXDU2	
Desk	E	Polyurethane	One-Touch	Stone	HXDU3	
	6 60 8			Coral	HXDU4	
				Citrine	HXDU5	
	٨			Slate	HXHU1	
High	i+™ Polyurethc	:.тм		Aquamarine	HXHU2	
			olyurethane	Stone	HXHU3	
		rotyurethane		Coral	HXHU4	
	° 6'' %			Citrine	HXHU5	

One-Touch Adjustment Mechanism - Seat Height

OPTIONS:

0	DER DDE	LIST PRICE
	CASTERS	
2	multi-surface dual wheel	standard**
3	non-rolling glide	n/c
9	weight activated breaks when seated	\$160

ARMS

A fixed arms......\$215

** Standard casters and footring included unless different options are requested.

DIMENSIONS

SEAT DIMENSIONS	WIDTH (X) DEPTH	18.50 (X) 16.75 IN	
SEAT HEIGHT	MIN-MAX		
	DESK	16.00 IN - 21.00 IN	
	DESK TO COUNTER	17.25 IN - 24.50 IN	
	HIGH	21.50 IN - 31.50 IN	
BACK DIMENSIONS	WIDTH (X) HEIGHT	18.00 IN (X) 17.25 IN	
BASE DIMENSIONS	DIAMETER	25.25 IN	
ARMPAD HEIGHT ABOVE SEAT	FIXED	8.75 IN	
DISTANCE BETWEEN ARMPADS	FIXED	20.75 IN	
WEIGHT	DESK	26 LBS	
	DESK TO COUNTER	33 LBS	
	HIGH	33 LBS	
	ARMS	4 LBS	

HOW TO ORDER



List Price
\$1,150
\$1,300

ORDER	LIST
CODE	PRICE

EXTRAS

AVAILABLE OPTIONS CODE	

CITRUS™



Simple, fresh, and clean modern design. Citrus[™] is a seating solution for lab and healthcare environments that doesn't force you to choose between style and performance. Its Flex Function[™] back and waterfall edge seat auto-adjust to individual users, while its one-touch height adjustment allows for easy sanitation.

SPECIFICATIONS

FEATURES

- Flex Function back and forward edge seat adapt and auto-adjust to individual user movements and support perching or sitting postures
- One-touch height adjustment-is the only user-made adjustment necessary
- Minimal joint hygienic design for easy cleaning and disinfection
- Meets BIFMA Healthcare Furniture Cleanability Guidelines HCF 8.1-2019
- ISO-Class 3 cleanroom rated
- 300lb weight capacity
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification

CONSTRUCTION

- Simple design and minimalist construction with few moving parts
- Robust Polyamide shell with glass fiber-reinforced polypropylene backrest for improved flexibility and strength
- Plush synthetic leather or durable integral skin foam seat with anti-bacterial properties
- Class 4 pneumatic cylinder

OPTIONS

- Casters: multi-surface dual wheel is standard. Other caster options are also available
- High-performance twist-lock flat surface chrome footring. Footrings are only available on high-height stools
- Desk and high height with desk to counter option
- Durable nylon or polished aluminum base
- Fixed arms option available
- Available in five colors or ESD: Anthracite* (gray), Sky* (blue), White*, Orange, Lime (green), and Onyx (black - ESD only).
 *5 day lead time on Anthracite (gray), Sky (blue), and White.

Extended lead times for Orange and Lime

DIMENSIONS

6 CRAMER

SEAT DIMENSIONS	WIDTH (X) DEPTH	
	CHAIR	17.50 IN (X) 16.25 IN
	STOOL	15.75 IN (X) 15.75 IN
SEAT HEIGHT	MIN-MAX	
	DESK	16.00 IN - 22.00 IN
	DESK TO COUNTER	17.50 IN - 25.00 IN
	HIGH	20.75 IN - 31.00 IN
BACK DIMENSIONS	WIDTH (X) HEIGHT	16 IN - 14.50 IN
BASE DIMENSIONS	DIAMETER	25.25 IN
ARMPAD HEIGHT ABOVE SEAT	FIXED	8.75 IN
DISTANCE BETWEEN ARMPADS	FIXED	16.00 IN
WEIGHT	DESK	17 LBS
	DESK TO COUNTER	22 LBS
	HIGH	23 LBS
	ARMS	7 LBS

sales: sales@cramerinc.com / 1.800.366.6700 orders: orders@cramerinc.com / fax 1.800.607.2821 www.cramerinc.com

PRICING: CITRUS

	Chair Style	Seat Material	Adjustment Mechanism	Shell Color	Model Number	
		Synthetic Leather		Anthracite	CTDL1	
				Sky	CTDL2	
			One-Touch	White	CTDL3	
sk	7			Orange	CTDL4	
Desk				Lime	CTDL5	
				Anthracite	CTDU1	
	88888	Integral Foam	One-Touch	Sky	CTDU2	
		roum		White	CTDU3	
		Integral ESD Foam	One-Touch	Onyx	CTDE6	
		Synthetic Leather	One-Touch	Anthracite	CTHL1	-
				Sky	CTHL2	
				White	CTHL3	
				Orange	CTHL4	
High				Lime	CTHL5	
High		Intogral	One-Touch	Anthracite	CTHU1	
		ाntegral ते से से से से Foam		Sky	CTHU2	
				White	CTHU3	
		Integral ESD Foam	One-Touch	Onyx	CTHE6	

One-Touch Adjustment Mechanism - Seat Height

*ESD - standard with polished aluminum base and chrome cylinder (option E)

OPTIONS:

	DER DDE	LIST PRICE
	CASTERS	
2	multi-surface dual wheelstandc	ırd**
3	non-rolling glide (not available for ESD models)	. \$36
7	weight-activated brakes when not seated (not available for ESD models)	\$140

ARMS

HOW TO ORDER

A fixed arms.....\$195 (not available for ESD models)

** Standard casters and footring included unless different options are requested.

***5 day lead time on Anthracite (gray), Sky (blue), and White.

Extended lead times for Orange and Lime

MODEL NUMBER	AVAILABLE OPTIONS CODE	



Dest

High

Chair Style	Seat Material	Adjustment Mechanism	Model Number	List Price
	Integral Skin	One-Touch	CTRDU	\$700
	Integral Skin	One-Touch	CTRHU	\$850

One-Touch Adjustment Mechanism - Seat Height

ORDER	LIST
CODE	PRICE

FOOTRINGS

flat surface chrome footring.....standard** (only available on high height)

- E polished aluminum base and chrome cylinder \$145 (standard option on ESD)
- L desk to counter cylinder (approx. 17.5" 25") (cylinder upcharge added to high-height price) \$65 **not available on ESD models

FUSION® FUSION[®] R+[™]



The Fusion series is our most flexible line with dozens of configurable options and available with R+ Technology - our patented polyurethane cover system. This versatility makes Fusion our best-selling line that can fill a variety of roles in both lab and technical environments.

SPECIFICATIONS

FEATURES

- Heavy-duty steel seat for multi-shift durability
- Contoured molded seat with waterfall edge ensures 24-hour comfort
- Dynamic range of adjustments support the full range of seated postures from active forward-leaning to recline
- High performance twist-lock footring with 20" diameter (on stool heights)
- Supports up to 350 lbs
- 10-Year, Three-Shift Warranty
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- R+ meets BIFMA Healthcare Furniture Cleanability Guidelines HCF 8.1-2019
- ISO Class 5 Cleanroom (Fed Std 209 Class 100)

CONSTRUCTION

DIMENSIONS

SEAT HEIGHT

SEAT DIMENSIONS

BACK DIMENSIONS

BASE DIMENSIONS

WEIGHT

ARMPAD HEIGHT ABOVE SEAT

DISTANCE BETWEEN ARMPADS

- 26.75" fiberglass-reinforced nylon base
- 16-gauge steel seat pan
- Integrated steel arm structure with metal-to-metal connections eliminates points of failure
- High resiliency 3" thick seat foam with a density of 2.4 lbs. per cubic foot

WIDTH (X) DEPTH

DESK TO COUNTER

WIDTH (X) HEIGHT

DESK TO COUNTER

MIN-MAX DESK

HIGH

DIAMETER

MIN - MAX

MIN- MAX

DESK

HIGH

ARMS

- Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength
- Heat-bonded powder coat finish

OPTIONS

- Arms: an adjustable arm option or a fully articulating arm option
- Casters: multi-surface dual wheel is standard. A variety of other casters are also available
- High-performance twist-lock footrings: Flat surface black 20" are also available. Flat surface chrome 20" is also available
- Desk, desk-to-counter and high heights
- Mesh back available as an option (4-Way mechanism only)

R+

20.00 IN (X) 19.25

16.50 IN - 21.50 IN

17.75 IN - 25.00 IN

22.00 IN - 32.00 IN

16.75 IN - 15.00 IN

5.25 IN - 9.00 IN

17.75 IN - 21.00 IN

26.75 IN

32 LBS


39 LBS

39 LBS

10 LBS

- Patented R+ combination of polyurethane and molded foam provides a comfortable seat
- Resists punctures, tears and virtually all spills; and cleans easily with bleach or ethanol
- Textured surface prevents slipping
- R+ properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000 and a Ross Flex rating of 150,000 flexes

PRICING: FUSION & FUSION R+



R+ Color Options - 252 Black, 282 Graphite 2 Way - Seat Height, Back Depth 4 Way - Seat Height, Back Height, Back Angle, Seat Angle 7 Way - Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter, Seat Depth


OPTIONS:

	DER DDE	LIST PRICE
	CASTERS	
2	multi-surface dual wheel stand	ard**
3	non-rolling glide	n/c
9 10	weight activated brakes when seated hard surface single wheel with 3" diameter	
	ARMS	
В	adjustable arms	\$205
т	articulating arms	\$235



Standard casters and footrings included unless different options are requested. *Limited availability of mesh back

I	NOD	el nu	IMBER	2
*Refer	to C	rame	r Text	ile (



	FUSION										
			FUS	ION							
del		List Pric	e by Textile	Grades (see	textile card f	or styles)					
ber	1	2	3								
D2	\$1,080	\$1,180	\$1,330								
D4	\$1,250	\$1,350	\$1,500								
D7	\$1,425	\$1,525	\$1,675								
H2	\$1,250	\$1,350	\$1,500								
H4	\$1,360	\$1,460	\$1,610								

	DER DDE	LIST PRICE
	FOOTRINGS	
x	flat surface black footring flat surface chrome footring (20") **on high height models only	

L	desk to counter cylinder (approx. 17.5" - 25")
	(cylinder upcharge added to high height price) \$50
Y	Fusion mesh back option
	(only available on 4-way models) \$230

	TEXTILE CODE*	AVAILABLE OPTIONS CODE
le Offering f	or code. (COM priced at	Grade 1)

ESD FUSION[®] ESD FUSION[®] R+[™]



The ESD Fusion series is available in a variety of ESD textiles or with R+ Technology - Cramer's patented polyurethane cover system. All ESD Fusion models meet ESD STM12.1 - 1997 and ISO Class 5 Cleanroom.

SPECIFICATIONS

FEATURES

- Heavy-duty steel seat for multi-shift durability
- Contoured molded seat with waterfall edge ensures 24-hour comfort
- High performance twist-lock footring with 20" diameter (on stool heights). Flat surface chrome is standard.
- Polished aluminum base is standard.
- Supports up to 350 lbs
- 10-Year, Three-Shift Warranty
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- R+ meets BIFMA Healthcare Furniture Cleanability Guidelines HCF
 8.1-2019
- ISO Class 5 Cleanroom (Fed Std 209 Class 100)

CONSTRUCTION

- 27.50" polished aluminum base
- 16-gauge steel seat pan
- Integrated steel arm structure with metal-to-metal connections eliminates points of failure
- High resiliency 3" thick seat foam with a density of 2.4 lbs. per cubic foot

- Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength
- Heat-bonded powder coat finish

OPTIONS

- Arms: adjustable arm option.
- Casters: multi-surface dual wheel is standard. Optional glides available.
- Desk and high heights available.

R+

- Patented R+ combination of polyurethane and molded foam provides a comfortable seat
- Resists punctures, tears and virtually all spills; and cleans easily with bleach or ethanol
- Textured surface prevents slipping
- Rhino Plus properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000 and a Ross Flex rating of 150,000 flexes

PRICING: ESD FUSION & ESD FUSION R+

				E	SD FUSION R+			ESD FUSION	
	Chair Style	Back Size	Adjustment Mechanism	Model Number	Fabric Type	List Price	Model Number	Fabric Type	List Price
Desk	CHORA C	M	4 Way	RPMD4256Q	Black R+	\$1,760	FSMD4ESVQ	Black Vinyl	\$1,760
High	CHP-WC	M	4 Way	RPMH4256Q	Black R+	\$1,910	FSMH4ESVQ	Black Vinyl	\$1,910

4 Way - Seat Height, Back Height, Back Angle, Seat Angle

OPTIONS:

	2DER LIST DDE PRICE
	CASTERS
2	multi-surface dual wheel
3	non-rolling gliden/c
	ARMS
В	adjustable arms\$205

DIMENSIONS

WIDTH (X) DEPTH	20.00 IN (X) 19.25		
MIN-MAX			
DESK	17.00 IN - 22.00 IN		
HIGH	22.50 IN - 32.50 IN		
WIDTH (X) HEIGHT	16.75 IN - 15.00 IN		
DIAMETER	27.50 IN		
MIN - MAX	5.25 IN - 9.00 IN		
MIN- MAX	17.75 IN - 21.00 IN		
DESK	33 LBS		
HIGH	40 LBS		
ARMS	10 LBS		
	MIN-MAX DESK HIGH WIDTH (X) HEIGHT DIAMETER MIN - MAX MIN- MAX DESK HIGH		



**Standard casters included unless glides are requested.

HOW TO ORDER



FUSION® FIT FUSION® FIT R+



Smaller footprint, same performance. Fusion Fit follows the same construction as the Fusion series but in a more compact footprint, and available with R+ Technology - our patented polyurethane cover system. This makes Fusion Fit more versatile and can fill a variety of roles in both lab and technical environments.

SPECIFICATIONS

FEATURES

- Ergonomically proportioned to comfortably fit smaller individuals and tighter workspaces
- Available in our patented R+ technology
- Solid construction guarantees years of support
- High performance twist-lock footring with 20" diameter (on stool heights)
- Supports up to 300 lbs
- 10-Year, Three-Shift Warranty
- Premium molded foam seat cushion
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- ISO Class 5 Cleanroom (Fed Std 209 Class 100)

CONSTRUCTION

- 25.25" fiberglass-reinforced nylon base
- 16-gauge steel seat pan
- Integrated steel arm structure with new shorter arm bar
- Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength
- Heat-bonded powder coat finish

DIMENSIONS

SEAT DIMENSIONS	WIDTH (X) DEPTH	17.50 IN (X) 17.00		
SEAT HEIGHT	MIN-MAX			
	DESK	16.25 IN - 21.25 IN		
	DESK TO COUNTER	17.50 IN - 24.75 IN		
	HIGH	21.75 IN - 31.75 IN		
BACK DIMENSIONS	WIDTH (X) HEIGHT	17.00 IN - 12.00 IN		
BASE DIMENSIONS	DIAMETER	25.25 IN		
ARMPAD HEIGHT ABOVE SEAT	MIN - MAX	6.25 IN - 10.00 IN		
DISTANCE BETWEEN ARMPADS	MIN- MAX	14.75 IN - 18.00 IN		
WEIGHT	DESK	29 LBS		
	DESK TO COUNTER	36 LBS		
	HIGH	36 LBS		
	ARMS	10 LBS		

OPTIONS

Rt

- Arms: an adjustable arm option or a fully articulating arm option
- Casters: multi-surface dual wheel is standard. A variety of other casters and glides are also available
- High-performance twist-lock footrings: Flat surface black 20" are also available. Flat surface chrome 20" is also available
- Desk, desk-to-counter, and high heights

• Patented R+ combination of polyurethane and molded foam provides a comfortable seat

- Resists punctures, tears and virtually all spills; and cleans easily with bleach or ethanol
- Textured surface prevents slipping
- R+ properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000 and a Ross Flex rating of 150,000 flexes

PRICING: FUSION FIT & FUSION FIT R+

				FUSION	I FIT R+				FUSIC	ON FIT			
	Chair Style	Back Size	Adjustment Mechanism	Model Number	List Price	Model Number	1	List Pric 2	e by Textile 3	Grades (see	textile card f	or styles)	
Desk		S	2 Way 4 Way	RPSD2 RPSD4	\$1,240 \$1,420	FFSD2 FFSD4	\$1000 \$1,180	\$1,100 \$1,280	\$1,250 \$1,430				
High		S	2 Way 4 Way	RPSH2 RPSH4	\$1,440 \$1,660	FFSH2 FFSH4	\$1,210 \$1,380	\$1,310 \$1,480	\$1,460 \$1,630				

R+ Color Options - 252 Black, 282 Graphite

2 Way - Seat Height, Back Depth

4 Way - Seat Height, Back Height, Back Angle, Seat Angle

OPTIONS:

ORDER	LIST
CODE	PRICE

CASTERS

2	multi-surface dual wheel	standard**
3	non-rolling glide	n/c

- 3 non-rolling glide.. 9 weight activated brakes when seated \$160
- 10 hard surface single wheel with 3" diameter \$70

ARMS

В	adjustable arms \$20)5
Т	articulating arms \$23	35



HOW TO ORDER

**Standard casters and footrings included unless different options are requested.

I	NOD	EL NU	IMBE	2
*Refer	to C	rame	r Text	ile

ORDER	LIST
CODE	PRICE

FOOTRINGS

	black flat surface footring	. standard**
Х	flat surface chrome footring (20")	\$40

desk to counter cylinder (approx. 17.5" - 25.5")	
(cylinder upcharge added to high-height price)\$5	0

	TEXTILE CODE*	AVAILABLE OPTIONS CODE
le Offering	for code. (COM priced o	at Grade 1)

FUSION® ROUND STOOL FUSION® ROUND STOOL R+



The Fusion Round Stool offers a wider arc of movement, still with flexible ease and comfort. This model is versatile and is also available in our R+[™] technology.

SPECIFICATIONS

FEATURES

- Three seat heights
- Contoured foam seat ensures 24-hour comfort
- Hand or foot-activated height adjustment, accessible from any direction
- High performance twist-lock footring with 20" diameter (on hand-activated stool heights)
- Supports up to 300 lbs
- 10-Year, Three-Shift Warranty
- Available with back
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- ISO Class 5 Cleanroom (Fed Std 209 Class 100)

CONSTRUCTION

- 16-gauge steel seat pan
- 25.25" fiberglass-reinforced nylon base
- High resiliency 2.5" thick seat foam with a density of 2.4 lbs. per cubic foot
- Class 4 pneumatic cylinder
- Heat-bonded powder coat finish


OPTIONS

- Casters: multi-surface dual wheel is standard. A variety of other casters are also available
- Desk, desk-to-counter, and high heights
- Textile or vinyl upholstery also available with R+ Technology

Rt

- Patented Rhino Plus combination of polyurethane and molded foam provides a comfortable seat
- Resists punctures, tears and virtually all spills; and cleans easily with bleach or ethanol
- Textured surface prevents slipping
- R+ properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000 and a Ross Flex rating of 150,000 flexes

PRICING: FUSION ROUND STOOL & FUSION ROUND STOOL R+



R+ Color Options - 252 Black, 282 Graphite 2 Way - Seat Height, Back Depth

OPTIONS:

	DDE	LIST PRICE
	CASTERS	
2	multi-surface dual wheel stando	ard**
3	non-rolling glide	n/c
9	weight activated brakes when seated	\$160
10	hard surface single wheel with 3" diameter	\$70

FOOTRINGS

HOW TO ORDER

	Flat black footring	. standard**
Х	flat surface chrome footring*(20")	\$40

*Options X and L are only available on hand-activated products **Standard casters and footrings included unless different options are requested.

I	MODI	el nu	IMBE	र
*Refer	r to C	rame	r Text	tile O

DIMENSIONS

SEAT DIMENSIONS	DIAMETER	16.00 IN
SEAT HEIGHT	MIN-MAX	
	DESK	15.50 IN - 20.75 IN
	DESK TO COUNTER	16.75 IN - 24.00 IN
	HIGH	21.00 IN - 31.00 IN
BACK DIMENSIONS	WIDTH (X) HEIGHT	17.00 IN (X) 12.00 IN
BASE DIMENSIONS	DIAMETER	25.25 IN
WEIGHT	DESK	16 LBS
	DESK TO COUNTER	23 LBS
	HIGH	23 LBS
	ВАСК	8 LBS

	FUSION RO									
List Price by Textile Grades (see textile card for styles) 2 3										
\$750	\$900									
\$1,145	\$1,295									
\$910	\$1,060									
\$1,280	\$1,430									

	DER DDE	LIST PRICE
	EXTRAS	
L	desk to counter cylinder* (approx. 17.5" - 25.5")	

(upcharge added to high-height price)

e Offering for code. (COM priced at Grade 1)	TEXTILE CODE*	AVAILABLE OPTIONS CODE	
e Offering for code. (COM priced at Grade 1)			
· · · · · · · · · · · · · · · · · ·			

. \$50

TRITON® TRITON® R+



Triton chairs have been engineered and built to withstand demanding Med-Tech environments and 24/7 usage. Triton and Triton R+ feature carbon steel frames, metal-to-metal assembly and come with a 15-year performance guarantee. This highly engineered construction delivers reliable performance and cleanability day after day.

SPECIFICATIONS

FEATURES

- Heavy-duty steel seat and back guarantee multi-shift durability
- Contoured molded seat with waterfall edge ensures 24-hour comfort
- Dynamic range of adjustments support the full range of seated postures from active forward-leaning to recline
- Supports up to 350 lbs
- 15-Year, Three-Shift Warranty
- All metal construction
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- ISO Class 5 Cleanroom (Fed Std 209 Class 100)

CONSTRUCTION

- 27.50" die-cast painted aluminum base
- 16-gauge steel seat pan
- 16-gauge pressed steel inner back plate with an 18-gauge outer shell
- Integrated steel arm structure with metal-to-metal connections eliminates points of failure
- High resiliency 3" thick seat foam with a density of 2.4 lbs. per cubic foot
- Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength
- · Heat-bonded powder coat finish

OPTIONS

- Arms: an intensive use fixed arm option, an adjustable arm option, or a fully articulating arm option
- Casters: multi-surface dual wheel is standard. A variety of other casters are also available
- High-performance twist-lock footrings: flat surface black is standard. Flat surface chrome is also available
- Desk, mid, desk-to-counter, and high heights
- 27.75" polished aluminum base
- ESD, or CR/ESD Combination

Rt

- Patented Rhino Plus combination of polyurethane and molded foam provides a comfortable seat
- Resists punctures, tears and virtually all spills; and cleans easily with bleach or ethanol
- Textured surface prevents slipping
- R+ properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000 and a Ross Flex rating of 150,000 flexes

DIMENSIONS

	MAXIMUM OVERA DIMENSIONS	LL SEAT DIMENSIONS	SEAT HEIGHT FROM FLOOR WHEN SEATED	BACK DIMENSIONS	WEIGHT
MODEL#	A B	C D	E	F G	LBS.
TPMD4 TRMD4	39.00 27.50	19.50 19.50	16.00 - 21.25	17.25 15.00	38
TPMM4 TRMM4	46.50 27.50	19.50 19.50	21.50 - 29.00	17.25 15.00	45 R+
TPMH4 TRMH4	51.50 27.50	19.50 19.50	23.25 - 33.25	17.25 15.00	46
TRLD4	42.00 27.50	19.50 19.50	16.00 - 21.25	18.00 18.00	40
TRLM4	49.50 27.50	19.50 19.50	21.50 - 29.00	18.00 18.00	47
TRLH4	54.50 27.50	19.50 19.50	23.25 - 33.25	18.00 18.00	47

Dimensions listed in inches. Adding arms will increase weight by 10 lbs.

Measurements are for standard mechanisms and can vary +/- .5". Seat slider and arm options can increase overall height and seat height .25" -1"

PRICING: TRITON & TRITON R+

				TRITC	ON R+				TRITO	ИС		
	Chair	Back	Adjustment	Model	List	Model		List Pric	e by Textile C	Grades (see textile co	rd for styles)	
	Style	Size	Mechanism	Number	Price	Number	1	2	3		r+ ESD	ESD
		(4 Way	TPMD4	\$1,800	TRMD4	\$1,590	\$1,690	\$1,840		\$1,910	\$1,733
	\square	(M)	6 Way	TPMD6	\$1,870	TRMD6	\$1,700	\$1,800	\$1,950		\$1,980	\$1,843
ĸ		\bigcirc	7 Way	TPMD7	\$1,970	TRMD7	\$1,790	\$1,890	\$2,040			
Desk			4 Way			TRLD4	\$1,710	\$1,810	\$1,960			\$1,853
			6 Way			TRLD6	\$1,800	\$1,900	\$2,050			\$1,943
		\bigcirc	7 Way			TRLD7	\$1,900	\$2,000	\$2,150			
	\bigcirc	(
		(M)	4Way	TPMM4	\$1,930	TRMM4	\$1,740	\$1,840	\$1,990		\$2,040	\$1,883
Mid		<u> </u>										
			4Way			TRLM4	\$1,850	\$1,950	\$2,100			\$1,993
	S B S	\bigcirc										
	\square											
		(M)	4 Way	TPMH4	\$2,000	TRMH4	\$1,760	\$1,860	\$2,010		\$2,110	\$1,903
High)										
			4 Way			TRLH4	\$1,870	\$1,970	\$2,120			\$2,013
	5	\bigcirc										

- R+ Color Options 252 Black, 256 ESD Black, 282 Graphite
- 4 Way Seat Height, Back Height, Back Angle, Seat Angle

6 Way - Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter 7 Way - Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter, Seat Depth

ESD is not available on Triton 7-way

HOW TO ORDER

OPTIONS:

•••	RDER ODE	LIST PRICE
	CASTERS	
2	multi-surface dual wheel	ard**
1	carpeted floor only	n/c
3	non-rolling glide	n/c
5	glide / caster combination	
	3x glides, 2x multi-surface	\$70
10	hard surface single wheel with 3" diameter	\$70
в	ARMS	¢205
-	adjustable arms	
т	articulating arms	
Α	intensive use fixed arms	\$290



*ESD not available for option codes 1, 10, L, T or with 7 way mechanism **Standard casters and footrings included unless different options are requested

MODEL NUMBER	TEXTILE CODE*	AVAILABLE OPTIONS CODE					
*Refer to Cramer Textile Offering for code. (COM priced at Grade 1)							

	ORDER CODE	LIST PRICE
	FOOTRINGS	
x	flat surface black footring (20")standard** flat surface chrome footring (20")	\$40
	ENVIRONMENTS	
Q	ESD* (must choose ESD textile or R+ 256 black) (includes flat surface ch 20" footring and polished aluminum base)	
	EXTRAS	
L	desk to counter cylinder (approx. 17.5" - 25.5") with flat surface ch 20" footring	rome
	(upcharge added to mid-height price)	\$50

TRITON® MAX



Triton Max has been engineered and built to withstand demanding Med-Tech environments and 24/7 usage. With a carbon steel frame, metal-to-metal assembly and the ability to support up to a 500lb weight capacity, Triton Max delivers reliable performance day after day.

SPECIFICATIONS

FEATURES

- 23" extra-wide contoured molded seat with waterfall edge ensures 24-hour comfort
- Dynamic range of adjustments support the full range of seated postures from active forward-leaning to recline
- Supports up to 500 lbs
- 15-Year, Three-Shift Warranty
- All metal construction
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification

CONSTRUCTION

- 29.50" die-cast painted aluminum base
- 14-gauge steel seat pan
- 16-gauge pressed steel inner back plate with a 18-gauge outer shell
- Integrated steel arm structure with metal-to-metal connections eliminates points of failure
- High resiliency 3.25" thick seat foam with a density of 2.4 lbs. per cubic foot
- Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength
- Heat-bonded powder coat finish

DIMENSIONS

MODEL#	MAXIMUN DIMEN A		SEA DIMENS		SEAT HEIGHT FROM FLOOR WHEN SEATED F		CK ISIONS G	WEIGHT LBS.
MODEL#	~	5		5	•	•	0	LDJ.
TMLD4	42.00	29.50	23.00	20.00	16.50 - 21.75	18.00	18.00	46
TMLM4	49.50	29.50	23.00	20.00	22.00 - 29.50	18.00	18.00	53
TMLH4	54.50	29.50	23.00	20.00	24.00 - 34.25	18.00	18.00	54
TMXD4	48.50	29.50	23.00	20.00	16.50 - 21.75	22.00	24.75	52

Dimensions listed in inches Adding arms will increase weight by 10 lbs. Measurements are for standard mechanisms and can vary +/- .5". Seat slider and arm options can increase overall height and seat height .25" -1"

OPTIONS

- Arms: an adjustable arm option or a fully articulating arm option
- Casters: multi-surface dual wheel is standard. A variety of other casters are also available
- High-performance twist-lock footrings with 20" diameter (on stool heights): flat surface black is standard. Flat surface chrome is also available
- Desk, mid, desk-to-counter, and high heights
- Extra large back (desk height only)

PRICING: TRITON MAX

	Chair	Back	Adjustment	Model			ist Price by 1	Textile Grades (see textile card for styles)
	Style	Size	Mechanism	Number	1	2	3	
		\frown	4 Way	TMLD4	\$1,980	\$2,080	\$2,230	
	\bigcap	(L)	6 Way	TMLD6	\$2,070	\$2,170	\$2,320	
Å		\bigcirc	7 Way	TMLD7	\$2,160	\$2,260	\$2,410	
Desk		\bigcirc	4 Way	TMXD4	\$2,560	\$2,660	\$2,810	
		(XL)	6 Way	TMXD6	\$2,660	\$2,760	\$2,910	
	V	\bigcup	7 Way	TMXD7	\$2,740	\$2,840	\$2,990	
Mid		L	4 Way	TMLM4	\$2,090	\$2,190	\$2,340	
High	- Marto	L	4 Way	TMLH4	\$2,120	\$2,220	\$2,370	

4 Way - Seat Height, Back Height, Back Angle, Seat Angle

6 Way - Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter 7 Way - Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter, Seat Depth

OPTIONS:

	DER DDE	LIST PRICE
	CASTERS	
2	multi-surface dual wheelstando	ard**
1	carpeted floor only	n/c
3	non-rolling glide	n/c
5	glide / caster combination	
	3x glides, 2x multi-surface	\$70
10	hard surface single wheel with 3" diameter	. \$70
	ARMS	
в	adjustable arms	\$205
т	articulating arms	\$235



HOW TO ORDER

**Standard casters and footrings included unless different options are requested

	I	NOD	EL NU	IMBE	2		
*Refer to Cramer Textile (

	DER DDE	LIST PRICE
	FOOTRINGS	
	flat black footring (20")	standard**
х	flat surface chrome footring (20")	\$40

L	desk to counter cylinder (approx. 17.5" - 25.5")	
	with flat surface chrome 20" footring X	
	(upcharge added to mid-height price)	\$50

le Offering for code. (COM priced at Grade 1)	TEXTILE CODE*	AVAILABLE OPTIONS CODE
le Offering for code. (COM priced at Grade 1)		

RHINO™ BASIC

THRE-SHIFT WARRANTY

When demanding environments need durable, multi-shift seating, Rhino[™] Basic meets their unique technical requirements. The durable molded seat and back simply won't quit, and the Rhino skin coating resists most chemical and physical damage.

SPECIFICATIONS

FEATURES

- Durable Rhino skin is molded right onto the frame
- Supports up to 300 lbs
- 10-Year, Three-Shift Warranty
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- ISO Class 4 (Fed Std 209e 10) cleanroom option

CONSTRUCTION

- 27.50" fiberglass-reinforced nylon base
- Integrated steel arm structure
- Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength

MAXIMUM OVERALL

DIMENSIONS

B

27.50

27.50

27.50

27.50

27.50

27.50

Α

32.75

40.25

45.25

36.75

44.25

49.00

OPTIONS

- Arms: an intensive use fixed arm option, an adjustable arm option, or a fully articulating arm option
- Casters: multi-surface dual wheel is standard. A variety of other casters are also available
- High-performance twist-lock footrings with 20" diameter (on stool heights): rounded chrome is standard. Flat surface chrome is also available
- Desk, mid, desk-to-counter, and high heights
- Small back available for tight workspaces
- 27.75" painted or polished aluminum base
- Available only in black

BACK

DIMENSIONS

15.00 10.00

15.00 10.00

15.00 10.00

16.25 15.50

16.25 15.50

16.25 15.50

G

F

• ISO Class 4 (Fed Std 209e 10) cleanroom option

WEIGHT

LBS.

24

28

29

25

29

30

PRICING: RHINO BASIC

	Chair Style	Back Type	Adjustment Mechanism	Model Number	List Price
		S	3 Way	RHSD3	\$1,150
k		\mathbf{S}	4 Way	RHSD4	\$1,380
Desk			3 Way	RHMD3	\$1,170
		M	4 Way	RHMD4	\$1,370
Mid		S M	3 Way	RHSM3	\$1,330
			4 Way	RHSM4	\$1,540
			3 Way	RHMM3	\$1,360
			4 Way	RHMM4	\$1,560
High	Ĵ	<u>(</u> \$*)	3 Way	RHSH3	\$1,360
			4 Way	RHSH4	\$1,570
			3 Way	RHMH3	\$1,380
			4 Way	RHMH4	\$1,590

Only available in black.

3 Way - Seat Height, Back Depth, Back Height

4 Way - Seat Height, Back Height, Back Angle, Seat Angle

OPTIONS:

	IDER DDE	LIST PRICE
	CASTERS	
2	multi-surface dual wheelstando	ard**
1	carpeted floor only	n/c
3	non-rolling glide	n/c
5	glide / caster combination	
	3x glides, 2x multi-surface	. \$70
9	weight activated brakes when seated	\$160
10	hard surface single wheel with 3" diameter	. \$70

ARMS

В	adjustable arms\$205	5
т	articulating arms\$235	5
Α	intensive use fixed arms\$290)



FOOTRINGS **Standard casters and footrings included unless different options are requested.

Dimensions listed in inches.

DIMENSIONS

MODEL#

RHSD3

RHSM3

RHSH3

RHMD3

RHMM3

RHMH3

Adding arms will increase weight by 10 lbs. and can increase overall height and seat height .25" – 1" Measurements are for standard mechanisms and can vary +/- .5".

SEAT

DIMENSIONS

18.25 16.75

18.25 16.75

18.25 16.75

18.25 16.75

18.25 16.75

18.25 16.75

D

С

SEAT HEIGHT FROM

FLOOR WHEN SEATED

F

15.50 - 20.75

20.25 - 27.75

22.00 - 32.50

15.50 - 20.75

20.25 - 27.75

22.00 - 32.50

HOW TO ORDER



	DER DDE	LIST PRICE
	rounded chrome footring	standard**
Х	flat surface chrome footring (20")	\$40

D	painted aluminum base	\$75
E	27.75" polished aluminum base	\$95
L	desk to counter cylinder (approx. 17.25" - 24.75") (upcharge added to mid-height price)	\$50

RHINO™ BASIC ROUND STOOL



• Casters: multi-surface dual wheel is standard. A variety of other

• High-performance twist-lock footrings with 20" diameter (on

hand-activated stool heights): flat black is standard. Flat surface chrome is also available. Footrings are only available on

Rhino[™] Basic Round Stool is the durable choice for higher education, labs and technical workspaces. Its self-skinned polyurethane resists punctures, tears, and virtually all spills and cleans easily. This model is also available in multiple heights, making it easy to concentrate on the job at hand.

OPTIONS

casters are also available

hand-activated, and high-height stools

• Desk, desk-to-counter, and high* heights

SPECIFICATIONS

FEATURES

- Rhino skin resists chemical and physical damage
- Hand or foot-activated height adjustment, accessible from any direction
- Supports up to 300 lbs
- 10-Year, Three-Shift Warranty
- Small back available
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- ISO Class 4 (Fed Std 209e 10) cleanroom option

CONSTRUCTION

- 24" fiberglass-reinforced nylon base
- Self-skinned Rhino polyurethane seat
- Class 4 pneumatic cylinder
- Heat-bonded powder coat finish

DIMENSIONS

Dimensions listed in inches.

	MAXIMUN DIMEN		SEAT DIMENSIONS	SEAT HEIGHT FROM FLOOR WHEN SEATED	BA DIMEN	.ck Isions	WEIGHT
MODEL#	A	В	C	D	E	F	LBS.
RR0D1	20.50	24.00	15.00	15.25 - 20.50			16
RROF1	21.75	23.00	15.00	16.75 - 21.75			17
RR0G1	28.00	23.00	15.00	20.75 - 28.00			18
RROH1	32.00	24.00	15.00	22.00 - 32.00			21
RRBD3	35.50	24.00	15.00	16.00 - 21.25	15.00	10.00	22
RRBH3	47.75	24.00	15.00	22.75 - 32.75	15.00	10.00	27

PRICING: RHINO BASIC ROUND STOOL

	Chair Style	Adjustment Mechanism	Model Number	List Price
Desk		Hand	RR0D1	\$560
		Hand	RRBD3	\$1,000
High	A.	Hand	RR0H1	\$710
		Hand	RRBH3	\$1,170
	Å.	пини	СПОЛЛ	\$1,17U

Only available in black.

3 Way - Seat Height, Back Depth, Back Height

OPTIONS:

		LIST PRICE
2 3 9 10	CASTERS multi-surface dual wheelstandard non-rolling gliden weight-activated brakes when seated\$1 hard surface single wheel with 3" diameter\$	n/c 60
x	FOOTRINGS flat black footringstandard flat surface chrome footring* (20")\$	

*Option codes X and L are available on hand-activated models only. **Standard casters and footrings included unless different options are requested.

```
HOW TO ORDER
```

ORDER	LIST
CODE	PRICE

L	desk to counter cylinder* (approx. 17.5" - 25.5")	
	(upcharge added to high-height price)\$5	0

MODEL NUMBER	AVAILABLE OPTIONS CODE	

RHINO[™] BASIC SIT / STAND



• Option 9 weight activated casters when seated available

• Model with footring included also available

The Rhino[™] Sit/Stand is designed for people who work standing up. The Rhino Sit / Stand allows you to lean, perch or sit providing periods of relief that help keep productivity high to the end of the shift.

OPTIONS

• Glides are standard

SPECIFICATIONS

FEATURES

- Flexible seat adjusts for comfortable sit
- Molded Rhino skin resists chemical and physical damage
- Adjustable tension control allows users to select a customized level of support
- Accommodates sit/stand and fully seated positions
- Flex pressure adjusts to user weight
- Height adjustable to fit different users
- Supports up to 300 lbs.
- 10-Year, Three-Shift Warranty
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- ISO Class 4 (Fed Std 209e 10) cleanroom option

CONSTRUCTION


- 23" fiberglass-reinforced nylon five-star base
- Self-skinned polyurethane seat
- Class 4 pneumatic cylinder

DIMENSIONS

MODEL#	MAXIMUN DIMEN A		SEAT DIMENSIONS C	SEAT HEIGHT FROM FLOOR WHEN SEATED D	WEIGHT LBS	
SS0H1	35.00	23.00	14.25	22.00 - 32.00	20	
SSFH1	35.00	23.00	14.25	22.00 - 32.00	24	

Dimensions listed in inches.

PRICING: RHINO BASIC SIT / STAND



1 Way Adjustment Mechanism - Seat Height

OPTIONS:

_		DER LIST DDE PRICE	_
		CASTERS	
	3	non-rolling glide (5-Star base only)standard*	
	9	weight-activated brakes when seated*	

(5-Star base only)......\$160

EXTRAS

- X flat surface chrome footring* (20" SSFH1 model only)\$38


*Standard casters and footrings included unless different options are requested.




AVAILABLE OPTIONS CODE	

Adjust to task for productivity and ergonomics.

Arm Option Details



SEAT HEIGHT all mechanisms Chair can be raised or lowered to numerous heights.



SEAT ANGLE 4 / 6 / 7 Way Seat tilts forward and back. Locks at desired angle.



BACK DEPTH 2 / 3 Way Backrest slides in and out and locks in numerous positions to allow additional room between the seat cushion and the backrest.

608

CHAIR TILT

is unlocked.

Chair (seat and back


together) tilts forward

and back. Allows chair

to rock when seat angle

6 / 7 Way


88



BACK HEIGHT 3/4/6/7Way Backrest slides up and down and locks in place through either a locking wheel adjustment or a finger-touch ratcheting adjustment (also known as lumbar adjustment).

0

66800



Backrest pivots forward and back, independent of seat angle. Locks at desired angle.



FORWARD TILT LIMITER 6 / 7 Way When engaged, prevents full forward tilt and/ or rocking. Convenient function for many tasks.


0

60800

60800 SEAT SLIDER


7 Way Seat slides forward and back. Locks in desired position. Important way to adjust leg support for different sized users.

To find the right chair height:



Measure the work surface height and subtract the 11 inch ergo factor = ideal average seat height

	HEIGHT	WIDTH	PIVOT (3 locking positions)	AVAILABLE FOR ESD	FNEW
adjustable arms	YES	YES		YES	
articulating arm	YES	YES	YES		
intensive use fixed arms				YES	YES




Caster Option Details

Our Multi-Surface Dual Wheel caster is our standard caster. Other options are available for unique work environments.

Available for ESD	Caster Description	Application	
No	1. Carpeted only dual wheel caster	General purpose for carpet applications	
Yes	2. Multi-surface dual wheel	General purpose for hard surface and carpet	
Yes	3. Universal glide	This is a pad, not a wheel, use on any floor surface	
Yes	5. Glide / Caster Combination	For all surfaces, combines stationary use with easy mobility when needed	
Yes	7. Weight-activated locks when not seated caster	Caster will roll only when you are seated	
Yes	9. Weight-activated locks when seated caster	Caster will roll only when you are not seated	
No	10. Hard surface with 3"diameter	General purpose for hard surface, especially concrete (adds 1" to height)	








intensive use fixed arms

BASE TYPES



For warranty claims, contact Customer Care at 1.800.366.6700. For the fastest service, have the following information ready: **CO#, explanation of the issue, pictures**

This helps us determine when the chair was manufactured and other specific details necessary to respond to your questions. THIS WARRANTY IS IN LIEU OF OTHER WARRANTIES EXPRESSLY STATED OR IMPLIED.

For questions about our warranty, please email or call Customer Care at: support@cramerinc.com / 1.800.366.6700.

WARRANTY CLAIMS

WARRANTY CLAIM REQUIREMENTS

For warranty claims, contact Customer Care at support@cramerinc.com or 1.800.366.6700. For the fastest service, have the following information ready:

1.) CO# / SO#

2.) Explanation of the issue

3.) Pictures

4.) Contact info (name, phone, email)

5.) Mailing address for replacmeent parts

This warranty is in lieu of other warranties expressly stated or implied.

Cramer ESD



CRAMER CHAIRS CONTROL STATIC ELECTRICITY

Cramer ESD chairs are designed to meet the ESD Association standard test method for the Protection of Electrostatic Discharge Susceptible Items-Seating-Restive Measurement standard ESD STM 12.1-2019. This includes testing of the seat, backrest, rear of backrest, armest (if applicable) and base. Models require an upholstered outer back option to comply with ESD standard STM12.1-2019.

The chair frame, from the back to the base, is electrically conductive to ensure static charges will be dissipated through the upholstery and the chair frame to floor grounds. Conductive casters and glides available in black only.

Upholstery is ESD vinyl or conductive R+ material specially woven with conductive fibers and backcoated with a conductive medium. Special conductive materials are installed in contact with the upholstery materials and the chair frame, ensuring immediate dissipation of static charges. Prior to shipment, Cramer tests each ESD chair for conductive quality.

ESD option includes chrome footring, polished aluminum base, chrome barrel, and upholstered outer back. Limited caster options include: #2 dual wheel caster or #3 glide.

To order ESD use option code "Q".

Cramer Fire Code



TB 117

Cramer chairs pass TB117*. Components used in seating, such as foam and fabric are tested individually for flammability characteristics. This is a minimum standard for all furniture offered for sale in California. Cramer is not responsible for Customers Own Material (COM) upholstery fire code compliance.

*Does not apply to Helix, Rhino Basic, Rhino Basic Round Stool, or Rhino Basic Sit Stand.

Cramer Cleanroom



Cramer cleanroom chairs are designed for minimal particulate contribution as certified by tests conducted in accordance with ASTM F25-68, ISO 14644-2-2015 and SAE ARP734A. Air introduced into the test chamber is filtered through 99.99% effective, .5 micron filters. The test chamber is subject to simulated usage by depressing the cushions while a discrete-particle counter records the particulate count. Cramer offers Cleanroom seating products manufactured to meet FED STD 209E (ISO/TC209) in Class 10 and 100 / ISO 14644-1-2015 Class 4 and 5.

ISO Class 3 (Fed Std 209e Class 1) Citrus

ISO Class 4 (Fed Std 209e Class 10) Helix, Rhino Basic Chair, Rhino Basic Sit / Stand, Rhino Basic Round Stool (will not meet Class 10 if arm option "B" or "T" is ordered)

ISO Class 5 (Fed Std 209e Class 100)

Triton, Triton R+, Triton Max

Fusion, Fusion R+, Fusion Fit, Fusion Fit R+, Fusion Round Stool, Fusion Round Stool R+

All exposed metal frame components are chrome plated or powder epoxy coated. To prevent present and future contamination, all footrings are sealed with MIG-welds. Seat heights are achieved by sealed, contaminate-free pneumatic cylinders.

Components, such as upholstered seats and backs, are protected from contamination during shipment in sealed plastic bags. Cleanroom chairs are labeled with instructions for unpacking in a cleanroom prep area.

Cramer & the Environment

Corporate and environmental stewardship are priorities at Cramer. It is part of our mission statement, evident in every chair and stool in our seating product line, and recognized by SCS Gold certifications.

ENVIRONMENTAL STEWARDSHIP

We are committed to conduct business in a manner that protects our natural environment and embraces the principals of sustainability and environmental stewardship. We continue to invest in better materials, methods and manufacturing practices to enhance sustainability and care of the environment.

SCS GOLD CERTIFICATION

The entire line of Cramer seating products is SCS Indoor Advantage™ Gold Certified in North America. The criteria for achieving this industry environmental standard are established by BIFMA and US Green Building Council.

CUSTOMER CARE

1.800.366.6700

support@cramerinc.com sales@cramerinc.com orders@cramerinc.com

